

**Work Order ID 108659**

Friday, October 25, 2013 3:21:03 PM

**\*108659\***

Page 1

Item ID: D3575-2

Accept

**\*N900040100\***Setup Start **\*NS1\***

Revision ID:

Stop **\*NS2\***

Item Name: Cargo Floor Protector

Start Date: 10/25/2013 Start Qty: 1.00

**\*1\***

Cust Item ID:

Required Date: 10/28/2013 Req'd Qty: 1.00

**\*1\***

Customer:

Reference:

Approvals:

Process Plan: *mf*Date: *10-25*

Tooling:

Date:

Run Start **\*NR1\***

QC:

Date:

SPC (Y/N):

Date:

Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D3575

Rev A

100

0.00

**\*100\***

FLOW WATER JET

Waterjet

Memo

0.00

FLOW CNC Waterjet

\*\*\*TEXTURE SIDE UP\*\*\*  
1-Cut as per Dwg D3575Dwg Rev: *A*Prog Rev: *A*

2-Deburr

*1 0 Jm13-10-28*

110

QC2- Inspect parts off machine FAI/FAIB

0.00

**\*110\***

QC

Memo

0.00

Quality Control

*1 0 Jm13-10-28*



# Work Order ID 108659

Friday, October 25, 2013 3:21:03 PM

**\*108659\***

Page 2

Item ID: D3575-2

Accept

**\*N900040100\***

Setup Start **\*NS1\***

Revision ID:

Item Name: Cargo Floor Protector

Stop **\*NS2\***

Start Date: 10/25/2013 Start Qty: 1.00

**\*1\***

Cust Item ID:

Required Date: 10/28/2013 Req'd Qty: 1.00

**\*1\***

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start **\*NR1\***

QC:

Date:

SPC (Y/N):

Date:

Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120	QC8- Inspect parts - second check	0.00							
<b>*120*</b>									
QC	Memo	0.00							
Quality Control									
150	Identify as per dwg & Stock Location: <i>center</i>	0.00							
<b>*150*</b>									
Packaging	Memo	0.00							
Packaging									
160	QC21- Final Inspection - Work Order Release	0.00							
<b>*160*</b>									
QC	Memo	0.00							
Quality Control									

1X **DAS**  
**28** 13-10-28  
**9-89**

*[Signature]* 13-10-28

13-10-28



# Picklist Print

Friday, October 25, 2013 3:21:02 PM

Page 1

Work Order ID: 108659  
Parent Item: D3575-2  
Parent Item Name: Cargo Floor Protector

Start Date: 10/25/2013 Required Date: 10/28/2013  
Start Qty: 1.00 Required Qty: 1.00

Comments: IPP Rev :A New Issue 07-01-22 EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

MLEXS.125-F60029-04  
GE PLASTICS LEXAN SHEET

Purchased No

100 sf 1,718.7520 8

10

Im3-10-28

Location

Loc Qty

Loc Code

MAT018

1718.752

124866

286.792


m126425

1431.96

126425

**DART**

DESIGN <i>LE</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>LE</i>	APPROVED <i>#</i>	DRAWING NO. D3575	REV. A SHEET 1 OF 4
DATE 07.06.08		TITLE CABIN FLOOR PROTECTOR	SCALE 1:8
A	07.06.08	NEW ISSUE	

**RELEASED**  
07.06.08

**D3575-1 CABIN FLOOR PROTECTOR (SHOWN)**  
**D3575-2 CABIN FLOOR PROTECTOR (OPPOSITE)**

**NOTES:**


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-1/-2" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8966

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

**DART**

DESIGN <i>LE</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>LE</i>	APPROVED <i>#</i>	DRAWING NO. D3575	REV. A SHEET 2 OF 4
DATE 07.06.08		TITLE CABIN FLOOR PROTECTOR	SCALE 1:8

**RELEASED**  
07.06.27 *#***D3575-3 CABIN FLOOR PROTECTOR****NOTES:**


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-3" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8967

**Copyright © 2007 by DART AEROSPACE LTD**

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

**DART**

DESIGN <i>LE</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>LE</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3575	REV. A SHEET 3 OF 4
DATE 07.06.08		TITLE CABIN FLOOR PROTECTOR	SCALE 1:8

**RELEASED**  
07.06.27**D3575-4 CABIN FLOOR PROTECTOR****NOTES:**

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-4" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8968


**Copyright © 2007 by DART AEROSPACE LTD**

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



**DART**

DESIGN <i>LE</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>LE</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3575	REV. A SHEET 4 OF 4
DATE 07.06.08		TITLE CABIN FLOOR PROTECTOR	SCALE 1:8

**RELEASED**  
07 de 29

**D3575-5 CABIN FLOOR PROTECTOR (SHOWN)**  
**D3575-6 CABIN FLOOR PROTECTOR (OPPOSITE)**

**NOTES:**

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-5/-6" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8969

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

<b>DART AEROSPACE LTD</b>		<b>Work Order:</b> 108659
<b>Description:</b> Cabin Floor Protector		<b>Part Number:</b> D3575-2
<b>Inspection Dwg:</b> D3575	<b>Rev:</b> A	<b>Page 1 of 1</b>

### FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø3.00	+0.006/-0.001	3.004"	-		V	Jkm01
1.00	+/-0.030	1.00"	-		V	
3.50	+/-0.030	3.50"	-		V	
16.00	+/-0.030	16.00"	-		T	Jkm06
23.13	+/-0.030	23.13"	-		T	
26.88	+/-0.030	26.88"	-		T	
27.69	+/-0.030	27.69"	-		T	
4.25	+/-0.030	4.25"	-		V	
9.63	+/-0.030	9.63"	-		V	Produced
16.13	+/-0.030	16.13"	-		T	
28.06	+/-0.030	28.06"	-		T	
32.15	+/-0.030	32.15"	-		T	
2.00	+/-0.030	2.00"	-		V	
3.50	+/-0.030	3.50"	-		V	
14.25	+/-0.030	14.25"	-		T	
25.13	+/-0.030	25.13"	-		T	
29.38	+/-0.030	29.38"	-		T	
30.13	+/-0.030	30.13"	-		T	
1.25	+/-0.030	1.25"	-		V	
3.38	+/-0.030	3.38"	-		V	
5.00	+/-0.030	5.00"	-		V	
6.50	+/-0.030	6.50"	-		V	
26.13	+/-0.030	26.13"	-		T	
31.50	+/-0.030	31.50"	-		T	

<b>Measured by:</b> Jm	<b>Audited by:</b> ShB	<b>Prototype Approval:</b> N/A
<b>Date:</b> 13-10-28	<b>Date:</b> 13-10-28	<b>Date:</b> N/A

Rev	Date	Change	Revised by	Approved
A	08.02.29	New Issue	KJ/DD	